

PVC-U DOOR COLLECTION

TECHNICAL SPECIFICATION GUIDE



[Hurst

CONTENTS

PVC-U DOOR PANELS

Acacia	Page 2
Alnwick	Page 2
Amalfi	Page 3
Althorpe	Page 3
Balmoral	Page 4
Balmoral Classic	Page 4
Balmoral Classic Side	Page 5
Blenheim	Page 5
Bruges	Page 6
Cambridge	Page 6
Capri	Page 7
Canterbury	Page 7
Canterbury Side	Page 8
Canton	Page 8
Chatsworth	Page 9
Clarence	Page 9
Como	Page 10
Hamburg	Page 10
Harewood	Page 11
Highgrove	Page 11
Kensington	Page 12
Madrid	Page 13
Malaga	Page 14
Milan	Page 14
Moderns	Page 15-20
Monaco	Page 21
Munich	Page 21
Oval	Page 22
Oxford	Page 22
Portofino	Page 23
Provence	Page 23
Reims	Page 24
Richmond	Page 25
Rockingham	Page 25
Rome	Page 26

Sandringham	Page 26
Sandringham Side	Page 27
Seville	Page 27
Sorrento	Page 28
Turin	Page 28
Wendland	Page 29
Windsor	Page 30

Half Panels	Page 31
Quarter Panels	Page 33
Conservatory Panels	Page 35
Flat Panels	Page 39

MDF and Thickness Options	Page 39
Ancillaries	Page 40
Glass Guide	Page 41
Backing Glass Options	Page 42
Colour/Woodgrain Options	Page 43
Notes	Page 44


ACACIA

ACACIA SOLID INVERTED

ACACIA ONE INVERTED

Please Note;

- Not available with solid MDF reinforcing
- 20mm thickness not available



Minimum Cut Size

550mm x 1590mm

Glass Size

252mm x 584mm

Sight Line

217mm x 555mm

ALNWICK


ALNWICK SOLID

ALNWICK ONE

ALNWICK ONE INVERTED

Please Note;

- Not available with solid MDF reinforcing (inverted)
- 20mm thickness not available



Minimum Cut Size

510mm x 1455mm

Glass Size Standard

390mm x 693mm

Glass Size Inverted

397mm x 702mm

Sight Line Standard

350mm x 655mm

Sight Line Inverted

370mm x 673mm


AMALFI

AMALFI SOLID
AMALFI FOUR

Please note;

- This panel is not available with solid MDF reinforcing
- 8mm groove depth
- Letterplate not available central inbetween glass

Standard letterplate position →



Minimum Cut Size

550mm x 1606mm*

*Minimum height
1720mm with letterplate
(bottom only)

Glass Size

170mm x 170mm

Sight Line


144mm x 144mm

ALTHORPE

ALTHORPE SOLID OVAL INVERTED
ALTHORPE ONE INVERTED
ALTHORPE ONE OVAL INVERTED

Please Note;

- Not available with solid MDF reinforcing
- 20mm thickness not available



Minimum Cut Size

550mm x 1510mm

Glass Size Oval Inverted

325mm x 585mm

Glass Size Inverted

440mm x 830mm

Sight Line Oval Inverted

310mm x 570mm

Sight Line Inverted

410mm x 800mm

BALMORAL SMALL APERTURE


BALMORAL SMALL SOLID

BALMORAL ONE SMALL

BALMORAL TWO SMALL

Please Note;

- Also available in Euro size - 900mm x 2100mm



Minimum Cut Size

550mm x 1595mm

Glass Size Top

315mm x 705mm

Glass Size Bottom

315mm x 315mm

Sight Line Top

285mm x 675mm

Sight Line Bottom

285mm x 285mm


BALMORAL CLASSIC (LARGE APERTURE)

BALMORAL ONE LARGE

BALMORAL TWO LARGE

Please note;

- Also available in Euro size - 900mm x 2100mm
- Bottom moulding matches Hanover



Minimum Cut Size

550mm x 1595mm

Glass Size Top

445mm x 840mm

Glass Size Bottom

445mm x 445mm

Sight Line Top


410mm x 805mm

Sight Line Bottom

410mm x 410mm

BALMORAL CLASSIC SIDE

BALMORAL SOLID SIDE
BALMORAL ONE LARGE SIDE
BALMORAL TWO LARGE SIDE



Minimum Cut Size
300mm x 1595mm

Glass Size Top
185mm x 845mm

Glass Size Bottom
185mm x 440mm

Sight Line Top
150mm x 805mm


Sight Line Bottom
150mm x 400mm

BLENHEIM

BLENHEIM SOLID
BLENHEIM ONE

Please note;

- Georgian Bar not available
- Knocker will fit under glass



Minimum Cut Size
526mm x 1740mm

Glass Size
420mm x 420mm


Sight Line
390mm x 390mm

BRUGES

BRUGES SOLID

BRUGES TWO

BRUGES EIGHT



Minimum Cut Size

550mm x 1610mm

Glass Size Top

425mm x 226mm

Glass Size Middle


110mm x 1185mm

CAMBRIDGE

CAMBRIDGE GEORGIAN
BOW FRONTED

Please note;

- One sealed glass unit
- Each rectangle is 110mm x 200mm
- Projection is 33mm
- 20mm not advised due to the weight of the unit



Minimum Cut Size

620mm x 1625mm

Glass Size

500mm x 770mm

Sight Line

100mm x 190mm


CAPRI

CAPRI SOLID
CAPRI ONE

Please note;

- This panel is not available with solid MDF reinforcing
- 8mm groove depth

Standard letterplate position →



Minimum Cut Size
550mm x 1606mm*

*Minimum height
1720mm with letterplate
(bottom only)

Glass Size
203mm x 912mm


Sight Line
165mm x 876 mm

CANTERBURY

CANTERBURY SOLID
CANTERBURY ONE

Please note;

- Also available in Euro size - 900mm x 2100mm
- This panel must be reinforced
- Square Lead - 140mm x 200mm
- 20mm thickness not available



Minimum Cut Size
550mm x 1640mm


Glass Size - Arched
437mm x 1180mm

Sight Line - Arched
400mm x 1135mm

CANTERBURY SIDE

CANTERBURY SOLID SIDE

CANTERBURY ONE SIDE



Minimum Cut Size

250mm x 1640mm

Glass Size - Arched

130mm x 1175mm

Sight Line - Arched

95mm x 1140mm


CANTON

CANTON SOLID

CANTON ONE

Please note;

- Georgian Bar available as a cross



Minimum Cut Size

590mm x 1685mm

Glass Size

295mm x 295mm

Sight Line

270mm x 270mm

CHATSWORTH



CHATSWORTH SOLID

CHATSWORTH ONE

Please note;

- Grooves do not match Shiplap
- Groove Depth 5mm
- Panel not available with solid MDF reinforcing

Close up



Minimum Cut Size

390mm x 795mm

Minimum Cut Size Top

475mm x 475mm

Glass Size

290mm x 375mm

Sight Line

260mm x 338mm

CLARENCE


CLARENCE INVERTED SOLID

CLARENCE TWO INVERTED

Please note;

- This panel is not available with solid MDF reinforcing

Standard letterplate position



Minimum Cut Size

600mm x 1605mm

Glass Size

140mm x 812mm

Sight Line

115mm x 787mm


COMO

COMO SOLID
COMO ONE

Please note;

- This panel is not available with solid MDF reinforcing

Standard letterplate position



Minimum Cut Size
315mm x 1020mm*

*Minimum height 1150mm with letterplate (Under glass)


Glass Size
203mm x 912mm
Sight Line
169mm x 875mm

HAMBURG

HAMBURG SOLID
HAMBURG ONE

Please note;

- Not available with solid MDF reinforcing
- Georgian Bar available as a cross



Standard letterplate position


Minimum Cut Size
590mm x 590mm

Glass Size
295mm x 295mm
Sight Line
265mm x 265mm

HAREWOOD

HAREWOOD SOLID

HAREWOOD ONE



Minimum Cut Size

526mm x 1670mm

Glass Size

445mm x 445mm

Sight Line

395mm x 390mm

HIGHGROVE


HIGHGROVE SOLID

HIGHGROVE ONE

HIGHGROVE TWO

Please note;

- Also available in Euro size - 900mm x 2100mm



Minimum Cut Size

550mm x 1550mm

Glass Size Top

405mm x 760mm

Glass Size Bottom

403mm x 466mm

Sight Line Top

365mm x 625mm

Sight Line Bottom

365mm x 420mm

KENSINGTON


KENSINGTON SOLID

KENSINGTON TWO

KENSINGTON FOUR

Please note;

- Also available in Euro size - 900mm x 2100mm
- Available inverted except Euro size and Kensington 4
- Mouldings match Manor panels
- 20mm thickness and solid MDF not available in inverted



Minimum Cut Size

550mm x 1590mm

Glass Size Top

135mm x 770mm

Glass Size Bottom

135mm x 465mm

Sight Line Top

110mm x 740/710mm

Sight Line Bottom

110mm x 438mm

KENSINGTON SIDE


KENSINGTON SOLID SIDE

KENSINGTON ONE SIDE

KENSINGTON TWO SIDE

Please note;

- Not available inverted



Minimum Cut Size

250mm x 1599mm

Glass Size Top

140mm x 790mm

Glass Size Bottom

135mm x 465mm

Sight Line Top


112mm x 755mm

Sight Line Bottom

110mm x 438mm

MADRID

MADRID SOLID
MADRID TWO




Minimum Cut Size
550mm x 1651mm

Glass Size
130mm x 1175mm
Sight Line
95mm x 1140mm

MADRID SIDE

MADRID SOLID SIDE
MADRID ONE SIDE



Minimum Cut Size
250mm x 1649mm

Glass Size
130mm x 1175mm
Sight Line
95mm x 1140mm


MALAGA

MALAGA SOLID

MALAGA FIVE

Please note;

- One sealed glass unit not individual pieces



Minimum Cut Size

239mm x 1275mm*

*Minimum width of 560mm if letterplate to the side

Glass Size

130mm x 1175mm


Sight Line

95mm x 90mm x5

MILAN

MILAN SOLID

MILAN ONE



Minimum Cut Size

580mm x 1620mm

Glass Size


432mm x 730mm

MODERN 5101

MODERN 5101

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

285mm x 1590mm*

*Minimum height of 1705mm with a letterplate

Glass Size

180mm x 1485mm

Sight Line


155mm x 1460

MODERN 5123

MODERN 5123

Please note;

- 40mm trims will be included on both sides of the panel
- 20mm thickness not available



Minimum Cut Size

546mm x 1424mm

Glass Size Top

295mm x 295mm

Glass Size Middle

175mm x 175mm

Glass Size Bottom

140mm x 140mm

Sight Line Top

270mm x 270mm

Sight Line Middle

144mm x 144mm

Sight Line Bottom


114mm x 114mm

MODERN 5082

MODERN 5082

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

476mm x 1426mm

Glass Size

130mm x 1175mm

Sight Line


104mm x 1150mm

MODERN 5113

MODERN 5113

Please note;

- 40mm trims will be included on both sides of the panel
- 20mm thickness not available



Minimum Cut Size

576mm x 798mm

Glass Size

175mm x 175mm

Sight Line


144mm x 144mm

MODERN 5013

MODERN 5013

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

421mm x 1403mm

Glass Size

315mm x 315mm

Sight Line


290mm x 290mm

MODERN 5034

MODERN 5034

Please note;

- 40mm trims will be included on both sides of the panel
- 20mm thickness not available
- Knocker won't fit between trims



Minimum Cut Size

276mm x 1254mm

Glass Size

170mm x 170mm

Sight Line


144mm x 144mm

MODERN 5051

MODERN 5051

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

405mm x 1670mm

Glass Size

300mm x 1450mm

Sight Line


275mm x 1420mm

MODERN 5162

MODERN 5162

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

434mm x 1540mm

Glass Size

345mm x 590mm

Sight Line


295mm x 530mm

MODERN 5071

MODERN 5071

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

526mm x 526mm

Glass Size

420mm x 420mm

Sight Line


390mm x 390mm

MODERN 5131

MODERN 5131

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

548mm x 548mm

Glass Size

295mm x 295mm

Sight Line


266mm x 266mm

MODERN 5141

MODERN 5141

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

495mm x 495mm

Glass Size

350mm x 487mm

Sight Line


304mm x 430mm

MODERN 5171

MODERN 5171

Please note;

- 40mm trims will be included on both sides of the panel



Minimum Cut Size

500mm x 870mm

Glass Size


540mm x 540mm

MONACO

MONACO SOLID RIGHT
MONACO SOLID LEFT
MONACO ONE RIGHT
MONACO ONE LEFT

Please note;

- This panel is not available with solid MDF reinforcing
- 8mm groove depth



Minimum Cut Size

553mm x 1606mm*

*Minimum height
1720mm with letterplate
(bottom only)

Glass Size

180mm x 1485mm

Sight Line


135mm x 1425mm

MUNICH

MUNICH SOLID
MUNICH ONE
MUNICH TWO

Please note;

- This panel is not available with solid MDF reinforcing
- 10mm groove depth



Minimum Cut Size

544mm x 1550mm

Glass Size


180mm x 1485mm

Sight Line

160mm x 1450mm

OVAL

OVAL ONE



Minimum Cut Size

526mm x 1510mm

Glass Size

425mm x 837mm


OXFORD

OXFORD SOLID

OXFORD ONE

Please note;

- Also available in Euro size - 900mm x 2100mm



Minimum Cut Size

550mm x 1510mm

Glass Size

445mm x 710mm

Sight Line

406mm x 670mm

PORTOFINO


PORTOFINO SOLID

PORTOFINO THREE

Please note;

- This panel is not available with solid MDF reinforcing

Standard letterplate position



Minimum Cut Size

547mm x 1590mm*

*Minimum height
1665mm with letterplate
(under border)

Glass Size

203mm x 152mm

Sight Line

171mm x 121mm

PROVENCE

PROVENCE SOLID

PROVENCE SIX


Please note;

- 2 glass units only

The following will cause the panel to exceed U-value of 1.4;

- Solid MDF reinforcing
- 8mm MDF reinforcing
- 12mm MDF reinforcing
- 24mm Thickness

Standard letterplate position



Minimum Cut Size

505mm x 1600mm*

*Minimum height
1690mm with letterplate
(bottom only)

Glass Size

120mm x 1485mm

Sight Line Top & Bottom


99mm x 446mm

Sight Line Middle

99mm x 461mm

REIMS

REIMS SOLID
REIMS ONE




Minimum Cut Size
550mm x 1600mm

Glass Size
425mm x 825mm
Sight Line
395mm x 790mm

REIMS SIDE

REIMS SOLID SIDE
REIMS ONE SIDE




Minimum Cut Size
300mm x 1600mm

Glass Size
185mm x 845mm

RICHMOND

RICHMOND SOLID

RICHMOND ONE



Minimum Cut Size

550mm x 1555mm

Glass Size

421mm x 837mm

Sight Line

370mm x 785mm


ROCKINGHAM

ROCKINGHAM SOLID

ROCKINGHAM ONE

Please note;

- Also available in Euro size - 900 x 2100
- Bottom moulding is not a match to another panel



Minimum Cut Size

550mm x 1520mm

Glass Size


375mm x 885mm

Sight Line

345mm x 840mm

ROME

ROME SOLID
ROME ONE



Minimum Cut Size
286mm x 1585mm*

*Minimum height
1700mm with
letterplate


Glass Size
180mm x 1485mm
Sight Line
135mm x 1425mm

SANDRINGHAM

SANDRINGHAM SOLID
SANDRINGHAM ONE
SANDRINGHAM THREE
SANDRINGHAM FIVE

Please note;

- Also available in Euro size - 900mm x 2100mm
- Mouldings match the Manor panels



Minimum Cut Size
550mm x 1635mm

Glass Size Top
440mm x 178mm

Glass Size Middle
135mm x 465mm

Glass Size Bottom
135mm x 465mm

Sight Line Top
385mm x 107mm

Sight Line Middle
110mm x 438mm


Sight Line Bottom
110mm x 438mm

SANDRINGHAM SIDE

SANDRINGHAM SOLID SIDE
SANDRINGHAM ONE SIDE
SANDRINGHAM TWO SIDE
SANDRINGHAM THREE SIDE

Please note;

- 20mm thickness not available



Minimum Cut Size

250mm x 1635mm

Glass Size Top

135mm x 180mm

Glass Size Middle

135mm x 465mm

Glass Size Bottom

135mm x 465mm

Sight Line Top

110mm x 153mm

Sight Line Middle

110mm x 438mm

Sight Line Bottom


110mm x 438mm

SEVILLE

SEVILLE SOLID
SEVILLE ONE

Please note;

- This panel must be reinforced
- One piece sealed glass unit, not individual pieces
- 20mm available but not advised



Minimum Cut Size

605mm x 1666mm

Glass Size

502mm x 985mm

SORRENTO


SORRENTO SOLID

SORRENTO THREE

Please note;

- Not available with solid MDF

Standard letterplate position



Minimum Cut Size

315mm x 1090mm*

*Minimum height
1215mm with
letterplate
(under glass)

Glass Size

203mm x 152mm

Sight Line

171mm x 121mm

TURIN


TURIN SOLID

TURIN ONE

TURIN TWO

Please note;

- Not available with solid MDF



Minimum Cut Size

550mm x 1560mm

Glass Size Top

295mm x 295mm

Glass Size Bottom

162mm x 1039mm

Sight Line Top

340mm x 340mm


Sight Line Bottom

120mm x 910mm

WENDLAND SOLID
WENDLAND ONE
WENDLAND TWO

Please note;

- Wendland has different moulds to the Balmorals



Minimum Cut Size
510mm x 1435mm

Glass Size Top
360mm x 640mm

Glass Size Bottom
360mm x 360mm

Sight Line Top
330mm x 610mm


Sight Line Bottom
325mm x 325mm

WINDSOR

WINDSOR SOLID
WINDSOR TWO
WINDSOR FOUR
WINDSOR SIX

Please note;

- Also available in Euro size - 900mm x 2100mm
- 20mm thickness not available
- Available inverted except Euro size
- Mouldings match Manor panels



Minimum Cut Size

550mm x 1590mm

Glass Size Top

140mm x 140mm

Glass Size Middle

135mm x 465mm

Glass Size Bottom

135mm x 465mm

Sight Line Top

110mm x 110mm

Sight Line Middle

110mm x 438mm

Sight Line Bottom


110mm x 438mm

WINDSOR SIDE

WINDSOR SOLID SIDE
WINDSOR ONE SIDE
WINDSOR TWO SIDE
WINDSOR THREE SIDE

Please note;

- Not available inverted
- 20mm thickness not available



Minimum Cut Size

250mm x 1590mm

Glass Size Top

140mm x 140mm

Glass Size Middle

135mm x 465mm

Glass Size Bottom

135mm x 465mm

Sight Line Top

110mm x 110mm

Sight Line Middle


110mm x 438mm

Sight Line Bottom


110mm x 438mm

HALF
PANELS

ABBEY HALF




BUCKINGHAM HALF



Please note; Horizontal grain only


MANOR HALF



Please note;

- Also available with 460 mouldings from the Manor Triple
- Grain runs vertically not horizontally, these will be supplied as standard unless clearly specified otherwise.


MANOR HALF INVERTED



Please note;


- Grain runs vertically not horizontally, these will be supplied as standard unless clearly specified otherwise.
- 20mm thickness not available
- Does not match: Sandringham/ Kensington/ Windsor

HANOVER HALF




Please note; Moulding matches Winchester

HANOVER HALF SLIMLINE



Please note; Also available with 460 mouldings from the Hanover Triple


WESTMINSTER HALF



Please note; Horizontal grain only

QUARTER PANELS

ELIZABETHAN QUARTER




Minimum Cut Size

250mm x 440mm

Please note;

- Only available from a Elizabethan conservatory full sheet

WINCHESTER QUARTER




Minimum Cut Size

300mm x 550mm

Please note;

- Mouldings match Hanover panels (except triple)


MANOR QUARTER



Minimum Cut Size

250mm x 580mm

CATHEDRAL QUARTER



Minimum Cut Size


210mm x 550mm

Please note;

- Only available from a Cathedral conservatory full sheet

CONSERVATORY PANELS


ABBEY CONSERVATORY



Minimum Cut Size

1590mm x 445mm


BUCKINGHAM CONSERVATORY



Minimum Cut Size

1510mm x 440mm


CATHEDRAL CONSERVATORY



Minimum Cut Size

1890mm x 550mm


ELIZABETHAN CONSERVATORY



Minimum Cut Size

1750mm x 440mm

HANOVER CONSERVATORY




Minimum Cut Size

1470mm x 550mm

Please note;

- Also available with 460mm mould width

HANOVER TRIPLE



Minimum Cut Size


1950mm x 550mm

Please note;

- Also available with 460mm mould width
- Mouldings do not match Hanover Half

Please note; When having Woodgrain/Colourgrain applied to conservatory panels, the grain runs horizontally, not vertically.


MANOR CONSERVATORY



Minimum Cut Size

1825mm x 580mm

MANOR TRIPLE




Minimum Cut Size

1950mm x 580mm

Please note;

- Also available with 460mm mould width

MANOR FULL




Minimum Cut Size

550mm x 1510mm

Please note;

- Available inverted
- 20mm thickness not available when inverted


WESTMINSTER CONSERVATORY



Minimum Cut Size

1510mm x 440mm

WINCHESTER CONSERVATORY




Minimum Cut Size

1845mm x 550mm

Please note; When having Woodgrain/Colourgrain applied to conservatory panels, the grain runs horizontally, not vertically.


SHIPLAP



Please note;

- Also available in Euro size - 900mm x 2092mm
- Groove size 80mm/10mm
- Groove depth 5mm
- The moulding is slightly deeper in Euro sized panels
- Max width of 430mm if 2 panels are to be cut from euro sized panel


HERRINGBONE



Please note;

- Mouldings do not match Hamburg panel
- Groove depth 5mm

DECLAP



Please note;

- Groove size 77mm/14mm
- Groove depth 5mm

FLAT PANELS

Size	Available Woodgrain	Available Colourgrain
1500mm x 3000mm	No	No
900mm x 2100mm	Yes	Yes
900mm x 1040mm	Yes	Yes
440mm x 2100mm	Yes	No
440mm x 1040mm	Yes	No

Please Note;

- On grained flat panels the grain runs vertically
- Woodgrains and Colourgrains are sold with 4mm MDF reinforcing as standard

Woodgrain Door Panels

All Woodgrain and Colourgrain panels feature 'heat-reflective' technology - an advanced technical process designed to significantly reduce the effect of UV light on darker surfaces thereby improving stability.

Hurst Doors have also introduced a system of venting the moulds which allows the expanding air to escape, thus reducing the occurrence of de-lamination and cracking.

An adhesive is also used which has a higher co-efficient of expansion, greater elasticity properties and better adhesion qualities. Due to the nature of this product we strongly recommend that woodgrain door panels are not exposed to strong sunlight.

MDF & THICKNESS OPTIONS

	CM1 - Full Poly	CM3 - 4mm MDF	CM16 - Solid MDF	CM17 - 8mm MDF	CM18 - 12mm MDF	CM22 - Poly/4mm Securicore™/ Poly	CM20 - Poly/ Ali/ MDF/ Poly
3000mm x 1500mm	20mm 24mm 28mm	20mm 24mm 28mm		24mm 28mm	28mm	20mm 24mm 28mm	
900mm x 2100mm	20mm 24mm 28mm 18mm	20mm 24mm 28mm 19mm	20mm 24mm 28mm	24mm 28mm	28mm	20mm 24mm 28mm	20mm 24mm 28mm
900mm x 1040mm	24mm 28mm	24mm 28mm					
440mm x 2100mm	24mm 28mm	24mm 28mm					
440mm x 1040mm	24mm 28mm	24mm 28mm					

ANCILLARIES

	Gold	Chrome	Black	Satin Chrome	White	Bright Bronze	Graphite
Letterbox	Yes	Yes	Yes	Yes	Yes		
Premium Letterbox	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Urn Knocker	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Slimline Urn Knocker	Yes	Yes	Yes		Yes	Yes	Yes
Urn Knocker with Spyhole	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Slimline Urn Knocker with Spyhole	Yes	Yes	Yes		Yes	Yes	Yes
Spyhole	Yes	Yes	Yes	Yes	Yes		
Lion's Head Knocker (70mm)	Yes		Yes				
Numerals	Yes	Yes	Yes	Yes			

	UAP	Fab & Fix
Router Size	48mm x 264mm	48mm x 264mm
Letterbox Size	65mm x 300mm	68mm x 310mm

GLASS GUIDE



HARMONY GLASS COLLECTION

- Clear and sandblasted glass to both sides
- No backing glass required



MODERN TRIM COLLECTION

- Obscure backing glass required



CLASSIC GLASS COLLECTION

- Obscure backing glass required



HERITAGE GLASS COLLECTION

- Sandblasted face with your choice of backing glass (clear recommended)
- Resin designs obscure backing glass required
- Film & lead designs, obscure backing glass required



BEVEL GLASS COLLECTION

- Sandblasted face with bevels, your choice of backing glass (clear recommended)
- Film, lead & bevel designs, obscure backing glass required



CRYSTAL GLASS COLLECTION

- Crystal bevels encased inside the glass, no backing glass required



PLATINUM GLASS COLLECTION

- Bevel design encased inside the glass, no backing glass required



FUSED JEWELS COLLECTION

- Resin design with fused on jewel tiles, your choice of backing glass

BACKING GLASS OPTIONS

Clear	Minster	Oak
Stippolyte	Arctic	Pelerine
Autumn	Chantilly	Sandblasted*
Everglade	Charcoal Sticks	Taffeta
Flemish	Florielle	Warwick*
Sycamore	K Glass*	Satin*
Contour	Laminate*	Bronze Anti Sun*
Cotswold	Mayflower	Cassini/Tribal

Platinum units must be reinforced (*Surcharge applies)

RESTRICTED BACKING GLASS OPTIONS

Hurst Doors follow the rules and regulations of the Glass and Glazing Federation. As such, all glass supplied in our door panels must be either 4mm toughened or 6mm untoughened.

Unfortunately, the glass market does not offer a small number of our glass patterns in either due to size and popularity.

The panels affected areas follows:

- Sandringham Side
- Windsor 2
- Windsor Side
- E5034
- E5065
- E5113
- E5123
- Amalfi 4

Available glass options for the above are:


- Clear
- Autumn
- Cotswold
- Stippolyte
- Sycamore
- Sandblasted*
- Satin*

*Surcharge applies




To summarise

- Glass in door panels must be either 4mm toughened or 6mm untoughened.
- Small pieces of 4mm glass cannot be toughened.
- Not all patterns are available in 6mm glass.





WOODGRAIN OPTIONS




COLOURGRAIN OPTIONS



Georgian Bars
now available in
Chartwell Green
and Anthracite
Grey.





Enquiries:
Call 01482 790790
Visit [Hurstdoors.co.uk](https://www.hurstdoors.co.uk)



With reference to product descriptions, colours, styles and features, every effort is made to ensure that the products that we supply correspond as closely as possible to the examples shown in this brochure. Due to the limitations of the photographic and printing processes, colour illustrations should be used as a guide only. Due to a continuous development programme, Hurst Plastics Ltd (Hurst) reserve the right to alter specifications without prior notice. All specifications are correct at the time of going to print. E & OE. This brochure and all content including copy, images and information is the Copyright © of Hurst Plastics Ltd (Hurst Doors) and protected under UK law.